

Additional information regarding the presence and generative properties of the examined species.

Level of presence:	Rare	solitaries or only several individuals
	Common	present in many green areas
	Abundant	very often present in green areas
Germination or viability:	VL	very low (<10%)
	L	low (10-40%)
	M	medium (40-60%)
	H	high (>60%)
Pre-sowing treatment type:	PS	pre-soaking in cold water
	HT	hydro-thermal procedure
	AS	autumn sowing
	WW	pre-soaking in warm water
	MC	maceration in HCl
	SF	cold stratification
	AS/SF	autumn sowing or cold stratification
	s	seconds
	d	days
m	monts	
Seedlings Features	SH	shoot height
	RCD	root collar diameter
	brr	bare root seedlings
	cnt	container seedlings

Level of presence	Species	Germination or viability	Pre-sowing treatment	Seedlings features	
				SH [cm]/RCD [mm]	
				brr	cnt
RARE	<i>Cryptomeria japonica</i> D.	VL	PS 2-3 d	12/2.5	X
	<i>Calocedrus decurrens</i> Torr.	L	PS 2-3 d	11/2.3	X
	<i>Pinus wallichiana</i> Jacks.	M	PS 5-8 d	X	11-16/1.0-2.1
	<i>Taxodium distichum</i> L.	M	AS/SF 1-2 m	12/2.1	X
	<i>Thuja occidentalis</i> var. <i>plicata</i> Donn.	M	PS 1-2 d	10/1.2	X
	<i>Abies concolor</i> Lindl.	L	AS/SF 2-3 m	5-7/0.6-1.4	X
	<i>Cedrus deodara</i> Roxb.	M	AS/PS 5-7 d	11-18/1.1-1.9	12-20/1.7-2.5
COMMON	<i>Cedrus atlantica</i> Endl.	M	AS/PS 5-7 d	12-20/1.4-2.2	13-22/2.2-3.1
	<i>Chamaecyparis lawsoniana</i> Murray	L	PS 2-3 d	13-18/1.2-2.2	16-21/1.8-2.5
	<i>Ginkgo biloba</i> L.	H	AS/SF 3-4 m	14-25/2-3.5	X
	<i>Larix decidua</i> Mill.	L	PS 3-5 d	13-18/1.5-2.1	X
	<i>Picea pungens</i> Engelm.	H	PS 1-2 d	6-11/0.6-1.5	9-11/0.8-1.3
	<i>Picea omorika</i> Pančić	H	PS 1-2 d	X	8-10/0.7-1.2
	<i>Pinus strobus</i> Thunb.	H	AS/SF 2-3 m	10-13/1.5-2.2	X
	<i>Pseudotsuga menziesii</i> Mirb.	L	AS/PS 5-7 d	7-35/0.6-3.8	8-21/0.7-2.6
	<i>Cupressus arizonica</i> Greene	L	PS 3-5 d	10-32/0.6-3.3	9-37/0.8-3.5
	ABUNDANT	<i>Cupressus sempervirens</i> L.	L	PS 3-5 d	11-30/0.5-2.9
<i>Thuja occidentalis</i> L.		L	PS 1-2 d	10/1.3	X
<i>Platyclusus orientalis</i> L.		M	PS 3-5 d	12-22/1.8-3.1	13-20/1.8-2.6

Level of presence1	Species	Germination or viability	Pre-sowing treatment	Seedlings features	
				SH [cm]/RCD [mm]	
				brr	cnt
RARE	<i>Acer buergerianum</i> Miq.	VL	SF 2-3 m	22-28/1.9-2.6	X
	<i>Acer davidii</i> Franch.	L	SF 2-3 m	22-40/1.5-2.7	X
	<i>Aesculus glabra</i> Willd.	H	AS/SF 3-5 m	12-27/4.5-8.5	X
	<i>Alnus cordata</i> Lois.	M	PS 3-5 d	21/2.3	62/7.5
	<i>Aronia melanocarpa</i> MichX.	M	SF 1-2 m	X	X
	<i>Carya illinoensis</i> Wangenh.	H	AS/SF 3-4 m	15-30/2.5-5.1	X
	<i>Chimonanthus praeco</i> X L.	M	SF 1-2 m	31-38/3.1-4.3	X
	<i>Citrus trifoliata</i> L.	M	SH 1 m	30-58/2.5-5.6	X
	<i>EXochorda racemosa</i> L.	L	SF 1-2 m	23/2.8	X
	<i>Idesia polycarpa</i> MaXim.	L	PS 3-4 d	22/2.5	51/4.5
	<i>Juglans mandshurica</i> MaXim.	H	AS/SF 2-3 m	41/6.3	X
	<i>Maclura tricuspidata</i> Carrière	M	SF 1-2 m	26-48/2.3-6.2	X
	<i>Melia azedarach</i> L.	L	AS/SF 3-5m	32/5.2	X
	<i>Parrotia persica</i> DC.	M	SF 1-2 m	27/3.4	X
	<i>Pterocarya fraXinifolia</i> Poir.	L	SF 5-6 m	21/3.8	X
	<i>Quercus aegilops</i> L.	H	AS/SF 1-2 m	26/4.2	X
	<i>Sterculia platanifolia</i> L.	VL	SF 2-3 m	24/3.3	X
	<i>Acer saccharinum</i> L.	H	PS 1-2 d	30-65/2.5-5.4	X
	<i>Acer palmatum</i> Thunb.	L	SF 2-3 m	10-15/1-1.5	12-17/1.8-2.1
	COMMON	<i>Albizia julibrissin</i> Durazz.	M	HT 15-20 s	15-180/2.1-15.2
<i>Amorpha fruticosa</i> L.		M	PS 3-5 d /WW	23-42/1.9-3.6	X
<i>Campsis radicans</i> L.		M	SF 1-2 m	34-52/2.8-4.3	X
<i>Catalpa bignonioides</i> Walter		H	PS 2-3 d	21-25/1.8-2.3	58/7.1
<i>Cercis siliquastrum</i> L.		H	HT 20-30 s	12-60/0.8-5.3	X
<i>Diospyros kaki</i> L.		L	AS/SF 1-2 m	20-40/2.5-6	X
<i>Juglans nigra</i> L.		H	AS/SF 2-3 m	18-55/4.5-8.3	X
<i>Koelreuteria paniculata</i> LaXm.		M	AS/MC	22-78/3.3-10.1	X
<i>Laburnum anagyroidis</i> Medik.		M	HT 10-20 s	28-77/2.5-9.2	X
<i>Lagerstroemia indica</i> L.		L	SF 1 m	20/1.8	X
<i>Liquidambar styraciflua</i> L.	L	SF 1 m	15/1.7	X	

	<i>Liriodendron tulipifera</i> L.	L	SH 2-3 m	30-42/3.5-5.2	X
	<i>Maclura pomifera</i> Raf.	M	PS 3-5 d	34-55/2.7-6.7	X
	<i>Magnolia grandiflora</i> L.	M	SF 2-3 m	14-26/2.5-4.5	X
	<i>Magnolia</i> × <i>soulangeana</i> Hort.	M	SF 2-3 m	10-21/1.2-2.5	X
	<i>Paulownia tomentosa</i> Thunb.	H	PS 1-2 d	X	62/7.3
	<i>Pistacia vera</i> L.	H	SF 1-2 m	27-48/3.5-5.3	X
	<i>Quercus rubra</i> L.	H	AS/SF 1-2 m	18-84/2.2-12.2	25/3.4
	<i>Ulmus pumila</i> L.	H	PS 1-2 d	23-56/3.2-7.3	X
	<i>Wisteria sinensis</i> Sims.	M	HT 10 s/WW 2-3 d	25-52/3.5-6.3	X
	<i>Acer negundo</i> L.	H	PS 3-4 d	32-82/3.5-6.7	X
	<i>FraXinus americana</i> L.	H	PS 2-4 d	14-75/1.5-9.6	19-22/2.1-2.6
	<i>Gleditsia triacanthos</i> L.	H	HT 30-60 s	22-75/2.5-8.3	X
ABUNDANT	<i>Hibiscus syriacus</i> L.	H	PS 1-2 d	20-47/2.5-6.3	X
	<i>Prunus pissardi</i> Carrière	M	AS/SF 2-3 m	43/5.5	X
	<i>Robinia pseudoacacia</i> L.	H	HT 10-40 s	23-240/1.8-15.6	25-54/2.3-4.2
	<i>Sophora japonica</i> L.	M	HT 10-40 s	35-57/3.6-8.4	X